

# bandag

---











## TREAD PRODUCT GUIDE

**v19.0**







**CANADA**















TRUCKLOAD/LTL/P&D	WASTE	SEVERE SERVICE	SPECIALITY
<b>ALL POSITION</b> 1 UAP2 FuelTech®  BDV BRR-UWB	<b>ALL POSITION</b> 4 BRM3 BRM™ BRM-WB	<b>ALL POSITION</b> 5 BRSS™ BRX2 Rib Logger Wide Base Rib	<b>OTHER</b> 6 ISR™
<b>DRIVE</b> 1 & 2 B710™ FuelTech®  B760 FuelTech®  HT5 FuelTech®  B835™ FuelTech®  BDR-HG BDR-HGL MegaTrek™ Ultra Drive™ Ultra Drive™ with MilEdges® BDR-HT3 BDR-W BDR-AS™ BDR-UWB DR 5.3 DR 4.3 ECL™ Mud & Snow Winter Deep Gripper BDL™	<b>DRIVE</b> 4 BDM3™ BDM2™ BDM™	<b>DRIVE</b> 5 BDY2™ BDY1s B799 WBSS Rock Lug Deep Undertread Lug Logger Lug Trac BDX™ BLSS™	<b>INDUSTRIAL</b> 6 Slick BDC™ Build-Up ESL™ Gripper Deep ML70™ Grader
<b>TRAILER</b> 3 B197™ FuelTech®  FCR™-T2  FCR™-T2 with MilEdges®  B135™ FuelTech®  BTL-SA™ BTR-UWB  ECL™ ST-M T4100® with MilEdges® TR 4.1 BTL™		<b>TRAILER</b> 6 ECL™ SST RTP™	<b>THE BANDAG CHALLENGE</b> 7
<b>LIGHT TRUCK</b> 3 BDLT MetroMax™ Rib			

# TRUCKLOAD | LTL | P&D - ALL POSITION











<div><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>180</td><td>180MM</td><td>17/32</td></tr><tr><td>190</td><td>190MM</td><td>17/32</td></tr><tr><td>200</td><td>200MM</td><td>17/32</td></tr><tr><td>210</td><td>210MM</td><td>17/32</td></tr><tr><td>220</td><td>220MM</td><td>17/32</td></tr><tr><td>230</td><td>230MM</td><td>17/32</td></tr><tr><td>240</td><td>240MM</td><td>17/32</td></tr><tr><td>250</td><td>250MM</td><td>17/32</td></tr></table><div> SmartWay Verified</div></div> <div><div>APPLICATION</div><div>Truckload - LTL</div><div>CONFIGURATION</div><div>Conventional</div></div>	SIZE	WIDTH	DEPTH	180	180MM	17/32	190	190MM	17/32	200	200MM	17/32	210	210MM	17/32	220	220MM	17/32	230	230MM	17/32	240	240MM	17/32	250	250MM	17/32	<div><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>22/32</td></tr><tr><td>200</td><td>200MM</td><td>22/32</td></tr><tr><td>210</td><td>210MM</td><td>22/32</td></tr><tr><td>220</td><td>220MM</td><td>22/32</td></tr><tr><td>230</td><td>230MM</td><td>22/32</td></tr><tr><td>240</td><td>240MM</td><td>22/32</td></tr><tr><td>250</td><td>250MM</td><td>22/32</td></tr><tr><td>260</td><td>260MM</td><td>22/32</td></tr><tr><td>270</td><td>270MM</td><td>22/32</td></tr></table></div> <div><div>APPLICATION</div><div>Truckload - LTL - P&amp;D</div><div>CONFIGURATION</div><div>Conventional</div></div>	SIZE	WIDTH	DEPTH	190	190MM	22/32	200	200MM	22/32	210	210MM	22/32	220	220MM	22/32	230	230MM	22/32	240	240MM	22/32	250	250MM	22/32	260	260MM	22/32	270	270MM	22/32	<div><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>390</td><td>390MM</td><td>16/32</td></tr></table></div> <div><div>APPLICATION</div><div>Truckload - LTL - P&amp;D</div><div>CONFIGURATION</div><div>Wide Base</div></div>	SIZE	WIDTH	DEPTH	390	390MM	16/32	
SIZE	WIDTH	DEPTH																																																																
180	180MM	17/32																																																																
190	190MM	17/32																																																																
200	200MM	17/32																																																																
210	210MM	17/32																																																																
220	220MM	17/32																																																																
230	230MM	17/32																																																																
240	240MM	17/32																																																																
250	250MM	17/32																																																																
SIZE	WIDTH	DEPTH																																																																
190	190MM	22/32																																																																
200	200MM	22/32																																																																
210	210MM	22/32																																																																
220	220MM	22/32																																																																
230	230MM	22/32																																																																
240	240MM	22/32																																																																
250	250MM	22/32																																																																
260	260MM	22/32																																																																
270	270MM	22/32																																																																
SIZE	WIDTH	DEPTH																																																																
390	390MM	16/32																																																																














# TRUCKLOAD | LTL | P&D - DRIVE

 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>25/32</td></tr><tr><td>220</td><td>220MM</td><td>25/32</td></tr><tr><td>230</td><td>230MM</td><td>25/32</td></tr><tr><td>240</td><td>240MM</td><td>25/32</td></tr></table> <div> SmartWay Verified</div>	SIZE	WIDTH	DEPTH	210	210MM	25/32	220	220MM	25/32	230	230MM	25/32	240	240MM	25/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>23/32</td></tr><tr><td>220</td><td>220MM</td><td>23/32</td></tr><tr><td>230</td><td>230MM</td><td>23/32</td></tr><tr><td>240</td><td>240MM</td><td>23/32</td></tr><tr><td>380</td><td>380MM</td><td>23/32</td></tr><tr><td>390</td><td>390MM</td><td>23/32</td></tr><tr><td>400</td><td>400MM</td><td>23/32</td></tr></table> <div> SmartWay Verified</div>	SIZE	WIDTH	DEPTH	210	210MM	23/32	220	220MM	23/32	230	230MM	23/32	240	240MM	23/32	380	380MM	23/32	390	390MM	23/32	400	400MM	23/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>25/32</td></tr><tr><td>220</td><td>220MM</td><td>25/32</td></tr><tr><td>230</td><td>230MM</td><td>25/32</td></tr><tr><td>240</td><td>240MM</td><td>25/32</td></tr></table> <div> SmartWay Verified</div>	SIZE	WIDTH	DEPTH	210	210MM	25/32	220	220MM	25/32	230	230MM	25/32	240	240MM	25/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>390</td><td>390MM</td><td>23/32</td></tr><tr><td>400</td><td>400MM</td><td>23/32</td></tr></table> <div> SmartWay Verified</div>	SIZE	WIDTH	DEPTH	390	390MM	23/32	400	400MM	23/32
SIZE	WIDTH	DEPTH																																																																
210	210MM	25/32																																																																
220	220MM	25/32																																																																
230	230MM	25/32																																																																
240	240MM	25/32																																																																
SIZE	WIDTH	DEPTH																																																																
210	210MM	23/32																																																																
220	220MM	23/32																																																																
230	230MM	23/32																																																																
240	240MM	23/32																																																																
380	380MM	23/32																																																																
390	390MM	23/32																																																																
400	400MM	23/32																																																																
SIZE	WIDTH	DEPTH																																																																
210	210MM	25/32																																																																
220	220MM	25/32																																																																
230	230MM	25/32																																																																
240	240MM	25/32																																																																
SIZE	WIDTH	DEPTH																																																																
390	390MM	23/32																																																																
400	400MM	23/32																																																																
<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Tandem</div>	<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Tandem</div>	<div>APPLICATION Truckload - LTL - P&amp;D</div> <div>CONFIGURATION Single</div>	<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Wide Base</div>																																																															


 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>180</td><td>180MM</td><td>23/32</td></tr><tr><td>190</td><td>190MM</td><td>23/32</td></tr><tr><td>200</td><td>200MM</td><td>23/32</td></tr><tr><td>210</td><td>210MM</td><td>27/32</td></tr><tr><td>220</td><td>220MM</td><td>27/32</td></tr><tr><td>230</td><td>230MM</td><td>27/32</td></tr><tr><td>240</td><td>240MM</td><td>27/32</td></tr><tr><td>250</td><td>250MM</td><td>27/32</td></tr><tr><td>260</td><td>260MM</td><td>27/32</td></tr></table>	SIZE	WIDTH	DEPTH	180	180MM	23/32	190	190MM	23/32	200	200MM	23/32	210	210MM	27/32	220	220MM	27/32	230	230MM	27/32	240	240MM	27/32	250	250MM	27/32	260	260MM	27/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>23/32</td></tr></table>	SIZE	WIDTH	DEPTH	210	210MM	23/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>26/32</td></tr><tr><td>210</td><td>210MM</td><td>26/32</td></tr><tr><td>220</td><td>220MM</td><td>26/32</td></tr><tr><td>230</td><td>230MM</td><td>26/32</td></tr><tr><td>240</td><td>240MM</td><td>26/32</td></tr></table>	SIZE	WIDTH	DEPTH	200	200MM	26/32	210	210MM	26/32	220	220MM	26/32	230	230MM	26/32	240	240MM	26/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>26/32</td></tr><tr><td>210*</td><td>210MM</td><td>26/32</td></tr><tr><td>220*</td><td>220MM</td><td>26/32</td></tr><tr><td>230*</td><td>230MM</td><td>26/32</td></tr><tr><td>240*</td><td>240MM</td><td>26/32</td></tr><tr><td>250</td><td>250MM</td><td>26/32</td></tr><tr><td>260</td><td>260MM</td><td>26/32</td></tr></table> <div>*Also available with MilEdges</div>	SIZE	WIDTH	DEPTH	200	200MM	26/32	210*	210MM	26/32	220*	220MM	26/32	230*	230MM	26/32	240*	240MM	26/32	250	250MM	26/32	260	260MM	26/32
SIZE	WIDTH	DEPTH																																																																															
180	180MM	23/32																																																																															
190	190MM	23/32																																																																															
200	200MM	23/32																																																																															
210	210MM	27/32																																																																															
220	220MM	27/32																																																																															
230	230MM	27/32																																																																															
240	240MM	27/32																																																																															
250	250MM	27/32																																																																															
260	260MM	27/32																																																																															
SIZE	WIDTH	DEPTH																																																																															
210	210MM	23/32																																																																															
SIZE	WIDTH	DEPTH																																																																															
200	200MM	26/32																																																																															
210	210MM	26/32																																																																															
220	220MM	26/32																																																																															
230	230MM	26/32																																																																															
240	240MM	26/32																																																																															
SIZE	WIDTH	DEPTH																																																																															
200	200MM	26/32																																																																															
210*	210MM	26/32																																																																															
220*	220MM	26/32																																																																															
230*	230MM	26/32																																																																															
240*	240MM	26/32																																																																															
250	250MM	26/32																																																																															
260	260MM	26/32																																																																															
<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Tandem</div>	<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Tandem</div>	<div>APPLICATION Truckload - LTL - P&amp;D</div> <div>CONFIGURATION Single   Tandem   Straight</div>	<div>APPLICATION Truckload - LTL</div> <div>CONFIGURATION Single   Tandem   Straight</div>																																																																														


DRIVE TREADS CONTINUED ON NEXT PAGE

<div></div> <div><p><b>BDR-HT3</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>28/32</td></tr><tr><td>220</td><td>220MM</td><td>28/32</td></tr><tr><td>230</td><td>230MM</td><td>28/32</td></tr><tr><td>240</td><td>240MM</td><td>28/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single</p></div>	SIZE	WIDTH	DEPTH	210	210MM	28/32	220	220MM	28/32	230	230MM	28/32	240	240MM	28/32	<div></div> <div><p><b>BDR-W</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>23/32</td></tr><tr><td>210</td><td>210MM</td><td>27/32</td></tr><tr><td>220</td><td>220MM</td><td>27/32</td></tr><tr><td>230</td><td>230MM</td><td>27/32</td></tr><tr><td>240</td><td>240MM</td><td>27/32</td></tr><tr><td>250</td><td>250MM</td><td>27/32</td></tr><tr><td>260</td><td>260MM</td><td>27/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	200	200MM	23/32	210	210MM	27/32	220	220MM	27/32	230	230MM	27/32	240	240MM	27/32	250	250MM	27/32	260	260MM	27/32	<div></div> <div><p><b>BDR-AS</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>170</td><td>170MM</td><td>22/32</td></tr><tr><td>180</td><td>180MM</td><td>22/32</td></tr><tr><td>190</td><td>190MM</td><td>22/32</td></tr><tr><td>200</td><td>200MM</td><td>22/32</td></tr><tr><td>210</td><td>210MM</td><td>22/32</td></tr><tr><td>220</td><td>220MM</td><td>22/32</td></tr><tr><td>230</td><td>230MM</td><td>22/32</td></tr><tr><td>240</td><td>240MM</td><td>22/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	170	170MM	22/32	180	180MM	22/32	190	190MM	22/32	200	200MM	22/32	210	210MM	22/32	220	220MM	22/32	230	230MM	22/32	240	240MM	22/32	<div></div> <div><p><b>BDR-UWB</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>380</td><td>380MM</td><td>24/32</td></tr><tr><td>390</td><td>390MM</td><td>24/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL</p><p>CONFIGURATION Wide Base</p></div>	SIZE	WIDTH	DEPTH	380	380MM	24/32	390	390MM	24/32						
SIZE	WIDTH	DEPTH																																																																																		
210	210MM	28/32																																																																																		
220	220MM	28/32																																																																																		
230	230MM	28/32																																																																																		
240	240MM	28/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
200	200MM	23/32																																																																																		
210	210MM	27/32																																																																																		
220	220MM	27/32																																																																																		
230	230MM	27/32																																																																																		
240	240MM	27/32																																																																																		
250	250MM	27/32																																																																																		
260	260MM	27/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
170	170MM	22/32																																																																																		
180	180MM	22/32																																																																																		
190	190MM	22/32																																																																																		
200	200MM	22/32																																																																																		
210	210MM	22/32																																																																																		
220	220MM	22/32																																																																																		
230	230MM	22/32																																																																																		
240	240MM	22/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
380	380MM	24/32																																																																																		
390	390MM	24/32																																																																																		
<div></div> <div><p><b>DR 5.3</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>22/32</td></tr><tr><td>200</td><td>200MM</td><td>22/32</td></tr><tr><td>210</td><td>210MM</td><td>22/32</td></tr><tr><td>220</td><td>220MM</td><td>22/32</td></tr><tr><td>230</td><td>230MM</td><td>22/32</td></tr><tr><td>240</td><td>240MM</td><td>22/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	190	190MM	22/32	200	200MM	22/32	210	210MM	22/32	220	220MM	22/32	230	230MM	22/32	240	240MM	22/32	<div></div> <div><p><b>DR 4.3</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>22/32</td></tr><tr><td>200</td><td>200MM</td><td>22/32</td></tr><tr><td>210</td><td>210MM</td><td>22/32</td></tr><tr><td>220</td><td>220MM</td><td>22/32</td></tr><tr><td>230</td><td>230MM</td><td>22/32</td></tr><tr><td>240</td><td>240MM</td><td>22/32</td></tr><tr><td>250</td><td>250MM</td><td>22/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	190	190MM	22/32	200	200MM	22/32	210	210MM	22/32	220	220MM	22/32	230	230MM	22/32	240	240MM	22/32	250	250MM	22/32	<div></div> <div><p><b>ECL MUD &amp; SNOW</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>6</td><td>N/A</td><td>22/32</td></tr><tr><td>7</td><td>N/A</td><td>22/32</td></tr><tr><td>8</td><td>N/A</td><td>22/32</td></tr><tr><td>8.5</td><td>N/A</td><td>22/32</td></tr><tr><td>9</td><td>N/A</td><td>22/32</td></tr><tr><td>10.5</td><td>N/A</td><td>22/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	6	N/A	22/32	7	N/A	22/32	8	N/A	22/32	8.5	N/A	22/32	9	N/A	22/32	10.5	N/A	22/32	<div></div> <div><p><b>WINTER DEEP</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>7</td><td>7-20/32</td><td>26/32</td></tr><tr><td>8</td><td>8</td><td>26/32</td></tr><tr><td>8.5</td><td>8-10/32</td><td>26/32</td></tr><tr><td>9</td><td>8-22/32</td><td>26/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	7	7-20/32	26/32	8	8	26/32	8.5	8-10/32	26/32	9	8-22/32	26/32
SIZE	WIDTH	DEPTH																																																																																		
190	190MM	22/32																																																																																		
200	200MM	22/32																																																																																		
210	210MM	22/32																																																																																		
220	220MM	22/32																																																																																		
230	230MM	22/32																																																																																		
240	240MM	22/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
190	190MM	22/32																																																																																		
200	200MM	22/32																																																																																		
210	210MM	22/32																																																																																		
220	220MM	22/32																																																																																		
230	230MM	22/32																																																																																		
240	240MM	22/32																																																																																		
250	250MM	22/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
6	N/A	22/32																																																																																		
7	N/A	22/32																																																																																		
8	N/A	22/32																																																																																		
8.5	N/A	22/32																																																																																		
9	N/A	22/32																																																																																		
10.5	N/A	22/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
7	7-20/32	26/32																																																																																		
8	8	26/32																																																																																		
8.5	8-10/32	26/32																																																																																		
9	8-22/32	26/32																																																																																		
<div></div> <div><p><b>GRIPPER</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>6</td><td>7-4/32</td><td>22/32</td></tr><tr><td>7</td><td>7-24/32</td><td>22/32</td></tr><tr><td>8</td><td>8</td><td>22/32</td></tr><tr><td>8.5</td><td>8-10/32</td><td>22/32</td></tr><tr><td>9</td><td>8-22/32</td><td>22/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL - P&amp;D</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	6	7-4/32	22/32	7	7-24/32	22/32	8	8	22/32	8.5	8-10/32	22/32	9	8-22/32	22/32	<div></div> <div><p><b>BDL</b></p><table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>20/32</td></tr><tr><td>200</td><td>200MM</td><td>20/32</td></tr><tr><td>210</td><td>210MM</td><td>20/32</td></tr><tr><td>220</td><td>220MM</td><td>20/32</td></tr><tr><td>230</td><td>230MM</td><td>20/32</td></tr></table></div> <div><p>APPLICATION Truckload - LTL</p><p>CONFIGURATION Single   Tandem   Straight</p></div>	SIZE	WIDTH	DEPTH	190	190MM	20/32	200	200MM	20/32	210	210MM	20/32	220	220MM	20/32	230	230MM	20/32																																															
SIZE	WIDTH	DEPTH																																																																																		
6	7-4/32	22/32																																																																																		
7	7-24/32	22/32																																																																																		
8	8	22/32																																																																																		
8.5	8-10/32	22/32																																																																																		
9	8-22/32	22/32																																																																																		
SIZE	WIDTH	DEPTH																																																																																		
190	190MM	20/32																																																																																		
200	200MM	20/32																																																																																		
210	210MM	20/32																																																																																		
220	220MM	20/32																																																																																		
230	230MM	20/32																																																																																		

 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>11/32</td></tr><tr><td>210</td><td>210MM</td><td>11/32</td></tr><tr><td>220</td><td>220MM</td><td>11/32</td></tr><tr><td>230</td><td>230MM</td><td>11/32</td></tr><tr><td>240</td><td>240MM</td><td>11/32</td></tr></table> <p> SmartWay Verified</p> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem</p>	SIZE	WIDTH	DEPTH	200	200MM	11/32	210	210MM	11/32	220	220MM	11/32	230	230MM	11/32	240	240MM	11/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>11/32</td></tr><tr><td>200</td><td>200MM</td><td>11/32</td></tr><tr><td>210*</td><td>210MM</td><td>11/32</td></tr><tr><td>220*</td><td>220MM</td><td>11/32</td></tr><tr><td>230*</td><td>230MM</td><td>11/32</td></tr><tr><td>240</td><td>240MM</td><td>11/32</td></tr></table> <p>*Also available with MilEdges</p> <p> SmartWay Verified</p> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem</p>	SIZE	WIDTH	DEPTH	190	190MM	11/32	200	200MM	11/32	210*	210MM	11/32	220*	220MM	11/32	230*	230MM	11/32	240	240MM	11/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>390</td><td>390MM</td><td>11/32</td></tr><tr><td>400</td><td>400MM</td><td>11/32</td></tr></table> <p> SmartWay Verified</p> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Tandem</p>	SIZE	WIDTH	DEPTH	390	390MM	11/32	400	400MM	11/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>16/32</td></tr><tr><td>210</td><td>210MM</td><td>16/32</td></tr><tr><td>220</td><td>210MM</td><td>16/32</td></tr><tr><td>230</td><td>230MM</td><td>16/32</td></tr><tr><td>240</td><td>240MM</td><td>16/32</td></tr></table> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem   Spread</p>	SIZE	WIDTH	DEPTH	200	200MM	16/32	210	210MM	16/32	220	210MM	16/32	230	230MM	16/32	240	240MM	16/32
SIZE	WIDTH	DEPTH																																																																			
200	200MM	11/32																																																																			
210	210MM	11/32																																																																			
220	220MM	11/32																																																																			
230	230MM	11/32																																																																			
240	240MM	11/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
190	190MM	11/32																																																																			
200	200MM	11/32																																																																			
210*	210MM	11/32																																																																			
220*	220MM	11/32																																																																			
230*	230MM	11/32																																																																			
240	240MM	11/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
390	390MM	11/32																																																																			
400	400MM	11/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
200	200MM	16/32																																																																			
210	210MM	16/32																																																																			
220	210MM	16/32																																																																			
230	230MM	16/32																																																																			
240	240MM	16/32																																																																			
 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>380</td><td>380MM</td><td>11/32</td></tr><tr><td>390</td><td>390MM</td><td>11/32</td></tr></table> <p> SmartWay Verified</p> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Wide Base</p>	SIZE	WIDTH	DEPTH	380	380MM	11/32	390	390MM	11/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>290</td><td>N/A</td><td>16/32</td></tr><tr><td>300</td><td>N/A</td><td>16/32</td></tr><tr><td>320</td><td>N/A</td><td>16/32</td></tr><tr><td>340</td><td>N/A</td><td>16/32</td></tr></table> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem   Spread   Wide Base</p>	SIZE	WIDTH	DEPTH	290	N/A	16/32	300	N/A	16/32	320	N/A	16/32	340	N/A	16/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>7*</td><td>7-20/32</td><td>15/32</td></tr><tr><td>8*</td><td>8</td><td>15/32</td></tr><tr><td>8.5*</td><td>8-10/32</td><td>15/32</td></tr><tr><td>9*</td><td>8-20/32</td><td>15/32</td></tr><tr><td>9.5*</td><td>8-28/32</td><td>15/32</td></tr><tr><td>10.5*</td><td>9-12/32</td><td>15/32</td></tr></table> <p>*Only available with MilEdges</p> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem</p>	SIZE	WIDTH	DEPTH	7*	7-20/32	15/32	8*	8	15/32	8.5*	8-10/32	15/32	9*	8-20/32	15/32	9.5*	8-28/32	15/32	10.5*	9-12/32	15/32	 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>11/32</td></tr><tr><td>200</td><td>200MM</td><td>11/32</td></tr><tr><td>210</td><td>210MM</td><td>11/32</td></tr><tr><td>220</td><td>220MM</td><td>11/32</td></tr><tr><td>230</td><td>230MM</td><td>11/32</td></tr><tr><td>240</td><td>240MM</td><td>11/32</td></tr></table> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem</p>	SIZE	WIDTH	DEPTH	190	190MM	11/32	200	200MM	11/32	210	210MM	11/32	220	220MM	11/32	230	230MM	11/32	240	240MM	11/32
SIZE	WIDTH	DEPTH																																																																			
380	380MM	11/32																																																																			
390	390MM	11/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
290	N/A	16/32																																																																			
300	N/A	16/32																																																																			
320	N/A	16/32																																																																			
340	N/A	16/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
7*	7-20/32	15/32																																																																			
8*	8	15/32																																																																			
8.5*	8-10/32	15/32																																																																			
9*	8-20/32	15/32																																																																			
9.5*	8-28/32	15/32																																																																			
10.5*	9-12/32	15/32																																																																			
SIZE	WIDTH	DEPTH																																																																			
190	190MM	11/32																																																																			
200	200MM	11/32																																																																			
210	210MM	11/32																																																																			
220	220MM	11/32																																																																			
230	230MM	11/32																																																																			
240	240MM	11/32																																																																			
 <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>160</td><td>160MM</td><td>11/32</td></tr><tr><td>170</td><td>170MM</td><td>11/32</td></tr><tr><td>180</td><td>180MM</td><td>11/32</td></tr><tr><td>190</td><td>190MM</td><td>11/32</td></tr><tr><td>200</td><td>200MM</td><td>11/32</td></tr><tr><td>210</td><td>210MM</td><td>11/32</td></tr><tr><td>220</td><td>210MM</td><td>11/32</td></tr><tr><td>230</td><td>230MM</td><td>11/32</td></tr></table> <p>APPLICATION Truckload - LTL</p> <p>CONFIGURATION Single   Tandem</p>	SIZE	WIDTH	DEPTH	160	160MM	11/32	170	170MM	11/32	180	180MM	11/32	190	190MM	11/32	200	200MM	11/32	210	210MM	11/32	220	210MM	11/32	230	230MM	11/32																																										
SIZE	WIDTH	DEPTH																																																																			
160	160MM	11/32																																																																			
170	170MM	11/32																																																																			
180	180MM	11/32																																																																			
190	190MM	11/32																																																																			
200	200MM	11/32																																																																			
210	210MM	11/32																																																																			
220	210MM	11/32																																																																			
230	230MM	11/32																																																																			

## TRUCKLOAD | LTL | P&D - LIGHT TRUCK

	<p><b>BDLT</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>160</td><td>160MM</td><td>16/32</td></tr><tr><td>170</td><td>170MM</td><td>16/32</td></tr><tr><td>180</td><td>180MM</td><td>16/32</td></tr><tr><td>190</td><td>190MM</td><td>16/32</td></tr><tr><td>200</td><td>200MM</td><td>16/32</td></tr></table>	SIZE	WIDTH	DEPTH	160	160MM	16/32	170	170MM	16/32	180	180MM	16/32	190	190MM	16/32	200	200MM	16/32
SIZE	WIDTH	DEPTH																	
160	160MM	16/32																	
170	170MM	16/32																	
180	180MM	16/32																	
190	190MM	16/32																	
200	200MM	16/32																	
<p>APPLICATION Truckload - LTL - P&amp;D</p>	<p>CONFIGURATION Commercial   Recreational</p>																		

	<p><b>METROMAX RIB</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>170</td><td>170MM</td><td>13/32</td></tr><tr><td>180</td><td>180MM</td><td>13/32</td></tr></table>	SIZE	WIDTH	DEPTH	170	170MM	13/32	180	180MM	13/32
SIZE	WIDTH	DEPTH								
170	170MM	13/32								
180	180MM	13/32								
<p>APPLICATION Truckload - LTL - P&amp;D</p>	<p>CONFIGURATION Commercial   Recreational</p>									

WASTE - ALL POSITION



BRM3


SIZE	WIDTH	DEPTH
210	210MM	26/32
220	220MM	26/32
230	230MM	26/32
240	240MM	26/32
250	250MM	26/32
260	260MM	26/32
270	270MM	26/32
280	280MM	26/32
390	390MM	26/32
400	400MM	26/32
410	410MM	26/32

APPLICATION

Waste

CONFIGURATION

Conventional



BRM


SIZE	WIDTH	DEPTH
210	210MM	26/32
220	220MM	26/32
230	230MM	26/32
240	240MM	26/32
250	250MM	26/32
260	260MM	26/32
270	270MM	26/32
280	280MM	26/32

APPLICATION

Waste

CONFIGURATION

Conventional



BRM-WB

SIZE	WIDTH	DEPTH
290	290MM	20/32


APPLICATION

Waste

CONFIGURATION

Wide Base

WASTE - DRIVE




BDM3

SIZE	WIDTH	DEPTH
210	210MM	32/32
220	220MM	32/32
230	230MM	32/32
240	240MM	32/32
250	250MM	32/32
260	260MM	32/32
270	270MM	32/32
280	280MM	32/32

APPLICATION  
Waste

CONFIGURATION  
Single | Tandem




BDM2

SIZE	WIDTH	DEPTH
210	210MM	32/32
220	220MM	32/32
230	230MM	32/32
240	240MM	32/32
250	250MM	32/32
260	260MM	32/32
270	270MM	32/32
280	280MM	32/32

APPLICATION  
Waste

CONFIGURATION  
Single | Tandem



BDM


SIZE	WIDTH	DEPTH
200	200MM	26/32
210	210MM	26/32
220	220MM	26/32
230	230MM	26/32
240	240MM	30/32
250	250MM	32/32
260	260MM	32/32
270	270MM	32/32
280	280MM	32/32


APPLICATION  
Waste


CONFIGURATION  
Single | Tandem




## SEVERE SERVICE - ALL POSITION

	<p><b>BRSS</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>20/32</td></tr><tr><td>200</td><td>200MM</td><td>20/32</td></tr><tr><td>210</td><td>210MM</td><td>20/32</td></tr><tr><td>220</td><td>220MM</td><td>20/32</td></tr><tr><td>230</td><td>230MM</td><td>20/32</td></tr><tr><td>240</td><td>240MM</td><td>20/32</td></tr></table>	SIZE	WIDTH	DEPTH	190	190MM	20/32	200	200MM	20/32	210	210MM	20/32	220	220MM	20/32	230	230MM	20/32	240	240MM	20/32
SIZE	WIDTH	DEPTH																				
190	190MM	20/32																				
200	200MM	20/32																				
210	210MM	20/32																				
220	220MM	20/32																				
230	230MM	20/32																				
240	240MM	20/32																				
<p>APPLICATION Severe Service</p>	<p>CONFIGURATION Single   Tandem   Straight</p>																					

	<p><b>BRX2</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>190</td><td>190MM</td><td>22/32</td></tr><tr><td>200</td><td>200MM</td><td>22/32</td></tr><tr><td>210</td><td>210MM</td><td>22/32</td></tr><tr><td>220</td><td>220MM</td><td>22/32</td></tr><tr><td>230</td><td>230MM</td><td>22/32</td></tr><tr><td>240</td><td>240MM</td><td>22/32</td></tr><tr><td>250</td><td>250MM</td><td>22/32</td></tr><tr><td>270</td><td>270MM</td><td>22/32</td></tr></table>	SIZE	WIDTH	DEPTH	190	190MM	22/32	200	200MM	22/32	210	210MM	22/32	220	220MM	22/32	230	230MM	22/32	240	240MM	22/32	250	250MM	22/32	270	270MM	22/32
SIZE	WIDTH	DEPTH																										
190	190MM	22/32																										
200	200MM	22/32																										
210	210MM	22/32																										
220	220MM	22/32																										
230	230MM	22/32																										
240	240MM	22/32																										
250	250MM	22/32																										
270	270MM	22/32																										
<p>APPLICATION Severe Service</p>	<p>CONFIGURATION Single   Tandem   Straight</p>																											

	<p><b>RIB LOGGER</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>8</td><td>8</td><td>21/32</td></tr></table>	SIZE	WIDTH	DEPTH	8	8	21/32
SIZE	WIDTH	DEPTH					
8	8	21/32					
<p>APPLICATION Severe Service</p>	<p>CONFIGURATION Conventional - Radial &amp; Bias</p>						

	<p><b>WIDE BASE RIB</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>15</td><td>11-13/32</td><td>16/32</td></tr><tr><td>16.5</td><td>12-31/32</td><td>16/32</td></tr></table>	SIZE	WIDTH	DEPTH	15	11-13/32	16/32	16.5	12-31/32	16/32
SIZE	WIDTH	DEPTH								
15	11-13/32	16/32								
16.5	12-31/32	16/32								
<p>APPLICATION Severe Service</p>	<p>CONFIGURATION Wide Base - Radial &amp; Bias</p>									

## SEVERE SERVICE - DRIVE

	<p><b>BDY2</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>32/32</td></tr><tr><td>220</td><td>220MM</td><td>32/32</td></tr><tr><td>230</td><td>230MM</td><td>32/32</td></tr><tr><td>240</td><td>240MM</td><td>32/32</td></tr></table>	SIZE	WIDTH	DEPTH	210	210MM	32/32	220	220MM	32/32	230	230MM	32/32	240	240MM	32/32
SIZE	WIDTH	DEPTH														
210	210MM	32/32														
220	220MM	32/32														
230	230MM	32/32														
240	240MM	32/32														
APPLICATION Severe Service	CONFIGURATION Single   Tandem															

	<p><b>BDY1s</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>30/32</td></tr><tr><td>220</td><td>220MM</td><td>30/32</td></tr><tr><td>230</td><td>230MM</td><td>30/32</td></tr><tr><td>240</td><td>240MM</td><td>30/32</td></tr></table>	SIZE	WIDTH	DEPTH	210	210MM	30/32	220	220MM	30/32	230	230MM	30/32	240	240MM	30/32
SIZE	WIDTH	DEPTH														
210	210MM	30/32														
220	220MM	30/32														
230	230MM	30/32														
240	240MM	30/32														
APPLICATION Severe Service	CONFIGURATION Single   Tandem - Radial & Bias															

	<p><b>B799</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>28/32</td></tr><tr><td>220</td><td>220MM</td><td>28/32</td></tr><tr><td>230</td><td>230MM</td><td>28/32</td></tr><tr><td>240</td><td>240MM</td><td>28/32</td></tr></table>	SIZE	WIDTH	DEPTH	210	210MM	28/32	220	220MM	28/32	230	230MM	28/32	240	240MM	28/32
SIZE	WIDTH	DEPTH														
210	210MM	28/32														
220	220MM	28/32														
230	230MM	28/32														
240	240MM	28/32														
APPLICATION Severe Service	CONFIGURATION Wide Base															

	<p><b>WBSS</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>345</td><td>345MM</td><td>30/32</td></tr></table>	SIZE	WIDTH	DEPTH	345	345MM	30/32
SIZE	WIDTH	DEPTH					
345	345MM	30/32					
APPLICATION Severe Service	CONFIGURATION Wide Base - Radial & Bias						

	<p><b>ROCK LUG DEEP UNDERTREAD</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>9</td><td>8-20/32</td><td>30/32</td></tr><tr><td>12</td><td>9-18/32</td><td>36/32</td></tr><tr><td>13</td><td>11-30/32</td><td>36/32</td></tr><tr><td>14</td><td>12-16/32</td><td>41/32</td></tr></table>	SIZE	WIDTH	DEPTH	9	8-20/32	30/32	12	9-18/32	36/32	13	11-30/32	36/32	14	12-16/32	41/32
SIZE	WIDTH	DEPTH														
9	8-20/32	30/32														
12	9-18/32	36/32														
13	11-30/32	36/32														
14	12-16/32	41/32														
APPLICATION Severe Service	CONFIGURATION Single   Tandem - Radial & Bias															

	<p><b>LUG LOGGER</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>11</td><td>9-29/32</td><td>24/32</td></tr></table>	SIZE	WIDTH	DEPTH	11	9-29/32	24/32
SIZE	WIDTH	DEPTH					
11	9-29/32	24/32					
APPLICATION Severe Service	CONFIGURATION Single   Tandem - Radial & Bias						

	<p><b>LUG TRAC</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>7</td><td>7-20/32</td><td>28/32</td></tr><tr><td>8</td><td>8</td><td>28/32</td></tr><tr><td>8.5</td><td>8-10/32</td><td>28/32</td></tr><tr><td>9</td><td>8-20/32</td><td>28/32</td></tr><tr><td>10</td><td>9-4/32</td><td>28/32</td></tr><tr><td>12</td><td>9-29/32</td><td>28/32</td></tr></table>	SIZE	WIDTH	DEPTH	7	7-20/32	28/32	8	8	28/32	8.5	8-10/32	28/32	9	8-20/32	28/32	10	9-4/32	28/32	12	9-29/32	28/32
SIZE	WIDTH	DEPTH																				
7	7-20/32	28/32																				
8	8	28/32																				
8.5	8-10/32	28/32																				
9	8-20/32	28/32																				
10	9-4/32	28/32																				
12	9-29/32	28/32																				
APPLICATION Severe Service	CONFIGURATION Single   Tandem																					

	<p><b>BDX</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>210</td><td>210MM</td><td>24/32</td></tr><tr><td>220</td><td>220MM</td><td>24/32</td></tr><tr><td>240</td><td>240MM</td><td>24/32</td></tr></table>	SIZE	WIDTH	DEPTH	210	210MM	24/32	220	220MM	24/32	240	240MM	24/32
SIZE	WIDTH	DEPTH											
210	210MM	24/32											
220	220MM	24/32											
240	240MM	24/32											
APPLICATION Severe Service	CONFIGURATION Tandem												

	<p><b>BLSS</b></p> <table><tr><th>SIZE</th><th>WIDTH</th><th>DEPTH</th></tr><tr><td>200</td><td>200MM</td><td>32/32</td></tr><tr><td>210</td><td>210MM</td><td>32/32</td></tr><tr><td>220</td><td>220MM</td><td>32/32</td></tr><tr><td>230</td><td>230MM</td><td>32/32</td></tr><tr><td>240</td><td>240MM</td><td>32/32</td></tr><tr><td>250</td><td>250MM</td><td>32/32</td></tr><tr><td>260</td><td>260MM</td><td>32/32</td></tr><tr><td>270</td><td>270MM</td><td>32/32</td></tr></table>	SIZE	WIDTH	DEPTH	200	200MM	32/32	210	210MM	32/32	220	220MM	32/32	230	230MM	32/32	240	240MM	32/32	250	250MM	32/32	260	260MM	32/32	270	270MM	32/32
SIZE	WIDTH	DEPTH																										
200	200MM	32/32																										
210	210MM	32/32																										
220	220MM	32/32																										
230	230MM	32/32																										
240	240MM	32/32																										
250	250MM	32/32																										
260	260MM	32/32																										
270	270MM	32/32																										
APPLICATION Severe Service	CONFIGURATION Tandem																											



## SEVERE SERVICE - TRAILER



**ECL SST**

SIZE	WIDTH	DEPTH
6	NA	15/32
7	NA	15/32
8	NA	15/32
8.5	NA	15/32
9	NA	15/32
9.5	NA	15/32
10.5	NA	15/32

APPLICATION  
Severe Service

CONFIGURATION  
Conventional



**RTP**

SIZE	WIDTH	DEPTH
6	7	18/32
7	7-20/32	18/32
8	8	18/32
8.5	8-10/32	18/32
9	8-20/32	18/32
9.5	8-28/32	18/32
10.5	9-12/32	18/32

APPLICATION  
Severe Service

CONFIGURATION  
Conventional

## SPECIALITY - OTHER



**ISR**

SIZE	WIDTH	DEPTH
6	7	30/32
7	7-20/32	36/32
8	8	36/32

APPLICATION  
Specialty

CONFIGURATION  
Switcher -  
Radial & Bias

## SPECIALITY - INDUSTRIAL



**SLICK**

SIZE	WIDTH	DEPTH
11.5	10	32/32

APPLICATION  
Industrial

CONFIGURATION  
Single | Tandem |  
Straight



**BDC**

SIZE	WIDTH	DEPTH
240	240MM	26/32
275	275MM	26/32

APPLICATION  
Industrial

CONFIGURATION  
Skid Steer -  
Radial & Bias



**BUILD UP**

SIZE	WIDTH	DEPTH
8	8	15/32
13	12	16/32

APPLICATION  
Industrial

CONFIGURATION  
Single | Tandem |  
Straight



**ESL**

SIZE	WIDTH	DEPTH
14	12-16/32	48/32

APPLICATION  
Industrial

CONFIGURATION  
Single | Tandem |  
Straight



**GRIPPER DEEP**

SIZE	WIDTH	DEPTH
325	12-16/32	28/32

APPLICATION  
Truckload - LTL

CONFIGURATION  
Single | Tandem |  
Straight



**ML-70**

SIZE	WIDTH	DEPTH
16	12-19/32	31/32
18	13-30/32	31/32

APPLICATION  
Truckload - LTL

CONFIGURATION  
Specialty -  
Radial & Bias



**GRADER**

SIZE	WIDTH	DEPTH
12.5	10-20/32	32/32
14	12-26/32	32/32

APPLICATION  
Severe Service

CONFIGURATION  
Light OTR -  
Radial & Bias



# TAKE THE BANDAG CHALLENGE

Bandag Application Specific Products Will Deliver,  
or We Will Pay the Difference. **Guaranteed.**

## WHY BANDAG?

We are committed to delivering on our promise of unmatched tire performance. Through constant development and improvement, our retreads offer performance and durability that rival brand-new tires. No matter what segment of the trucking industry you're involved in, we have a reliable retread that can withstand the unique rigors your fleet faces every day. All this adds up to the most trusted, cost-effective retreads in the business.

## WE CHALLENGE ANY TIRE TO A PERFORMANCE COMPARISON TEST.

- Bandag's application specific retreads will deliver a lower average cost per mile than any other comparable tire product you are using, or we will pay the difference. Guaranteed.
- Getting started on the Bandag CHALLENGE is easy. Your Bandag representative will recommend a Bandag application specific tread design for your vehicle and will cover program guidelines with you.

Take the Bandag CHALLENGE today!





